

SD13

SHOW DAY BUFFET

MEDICATED

FOR IMPROVED FEED EFFICIENCY IN CATTLE BEING FED IN
CONFINEMENT FOR SLAUGHTER

ACTIVE DRUG INGREDIENT

MONENSIN.....33.0 g/ton

GUARANTEED ANALYSIS

Crude Protein Min. 12.5%
Crude Fat Min. 5.5%
Crude Fiber Max. 22.5%
Calcium Min. 0.8% Max. 1.4%
Phosphorus Min. 0.3%
Salt Min. 0.4% Max. 0.85%
Sodium Min. 0.18%
Selenium Min. 0.18 ppm
Vitamin A Min. 10,000 IU/LB
Vitamin D Min. 3200 IU/LB
Vitamin E Min. 30 IU/LB

INGREDIENTS

Grain Products, Plant Protein Products, Roughage Products, Processed Grain Byproducts, Molasses Products, Soy Oil, Calcium Carbonate, Salt, Potassium Sulfate, Magnesium Sulfate, Magnesium-Mica, Magnesium Oxide, Yucca Schidigera Extract, Betaine (Hydrochloride), Cobalt Carbonate, Lactic Acid, Feugreek Extract, Potassium Chloride, Vitamin E Supplement, Manganous Oxide, Manganese Sulfate, Copper Sulfate, Zinc Oxide, Vitamin A Supplement, Vitamin D3 Supplement, Zinc Sulfate, Chicory Root, Red Pepper, Anise Oil, Cloves, Saccharin Sodium, Hemicellulose Extract, Origanum Oil, Lemongrass Oil, DL Tocopherol-Acetate, Sodium Selenite, Cholecalciferol (D-activated Animal Sterol), Ethylendiamine Dihydriodide, Ethoxyquin (A Preservative), Natural Flavor, Propionic Acid (A Preservative), Sodium Calcium Aluminosilicate, Silicon Dioxide, Mineral Oil.

FEEDING DIRECTIONS & PRECAUTION STATEMENTS; See Reverse

**NET WEIGHT:
50 LB.BAG OR BULK INVOICE**

FEEDING DIRECTIONS

This Feed is designed for show cattle over 900 pounds, but may be fed to cattle of any age or weight with proper management. Feed complete ration to show cattle at a rate of 4 - 29 lbs per head per day to cattle weighing 150 - 1200 lb. to provide 66.0 - 478.5 milligrams of Monensin per head per day It is important to provide hay as an addition to their daily intake. Provide cattle continuous access to clean, cool water. Store feed in a cool, dry location free of insects, rodents, and other pests. *Do not feed if mold or infestation occurs.*

CAUTION FOR ALL PRODUCTS CONTAINING

MONENSIN: DO NOT allow horses or other equines access to feeds containing *Monensin*. Ingestion of *Monensin* by horses has been fatal. *Monensin* medicated cattle and goat feeds are safe for use in cattle and goats only. Consumption by unapproved species may result in toxic reactions. Feeding or mixing errors resulting in high concentrations of *Monensin* could be fatal to cattle and goats. DO NOT exceed the levels of *Monensin* recommended in the feeding directions as reduced average gains may result. If feed refusals fed containing *Monensin* are fed to other groups of cattle, the concentration of *Monensin* in the refusals and the amount of the refusals fed should be taken into consideration to prevent *Monensin* overdosing. A withdrawal time has not been established for pre-ruminating calves. DO NOT use in calves to be processed for veal.

CAUTION: Contains copper DO NOT feed to sheep!

MANUFACTURED BY

MEISS FEED AND SUPPLY

245 S. STATE ROUTE 47, SIBLEY, IL 61773

217-745-2302